AM1004 LB205 DSH - 03/23/2015

## AMENDMENTS TO LB205

Introduced by Government, Military and Veterans Affairs.

- 1 1. Strike the original sections and insert the following new
- 2 sections:
- 3 Section 1. Section 3-402, Reissue Revised Statutes of Nebraska, is
- 4 amended to read:
- 5 3-402 As used in sections 3-401 to 3-409 and section 2 of this act,
- 6 unless the context otherwise requires:
- 7 (1) Structure means shall mean any manmade object which is built,
- 8 constructed, projected, or erected upon, from, and above the surface of
- 9 the earth, including, but not limited to, towers, antennas, buildings,
- 10 wires, cables, and chimneys;
- 11 (2) Meteorological evaluation tower means an anchored structure,
- 12 including all guy wires and accessory facilities, on which one or more
- 13 meteorological instruments are mounted for the purpose of meteorological
- 14 <u>data collection;</u>
- 15 (3 2) Obstruction means shall mean any structure which obstructs the
- 16 air space required for the flight of aircraft and in the landing and
- 17 taking off of aircraft at any airport or restricted landing area; and
- 18 (4 3) Person means shall mean any public utility, public district,
- 19 or other governmental division or subdivision or any person, corporation,
- 20 partnership, or limited liability company.
- 21 Sec. 2. <u>(1) A meteorological evaluation tower, the height of which</u>
- 22 is at least fifty feet above the surface of the ground at point of
- 23 <u>installation</u>, shall be marked according to subsection (2) of this
- 24 section. This section applies to a meteorological evaluation tower that
- 25 is located outside the corporate limits of a city or village.
- 26 (2) A meteorological evaluation tower described in subsection (1) of
- 27 this section shall: (a) Be painted in seven equal-width and alternating

1 <u>bands of aviation orange and white beginning with orange at the top of</u>

- 2 the tower and ending with orange at the base; (b) have two or more
- 3 spherical marker balls at least twenty-one inches in diameter that are
- 4 aviation orange in color and attached to each outer guy wire connected to
- 5 the tower with the top ball no further than twenty feet from the top wire
- 6 connection and the remaining ball or balls at or below the mid-point of
- 7 the tower on the outer guy wires; and (c) have yellow safety sleeves
- 8 <u>installed on each outer guy wire extending at least fourteen feet above</u>
- 9 the anchor point of the guy wire.
- 10 (3) The owner of a meteorological evaluation tower subject to this
- 11 <u>section shall, not less than ten business days prior to erecting the</u>
- 12 tower, register with the Department of Aeronautics the name and address
- 13 of the owner, the height and location of the tower, and any other
- 14 <u>information that the department deems necessary for aviation safety. The</u>
- 15 owner of a tower subject to this section shall also report the removal of
- 16 the tower to the department not more than thirty business days after its
- 17 removal. The department shall make the information received pursuant to
- 18 this subsection available to the public within five business days.
- 19 (4) The owner of a tower described in subsection (1) of this section
- 20 that was erected prior to the effective date of this act and which is
- 21 either lighted, marked with balls at least twenty-one inches in diameter,
- 22 painted, or modified in some other manner so it is recognizable in clear
- 23 <u>air during daylight hours from a distance of not less than two thousand</u>
- 24 feet, shall mark the tower as required by subsection (2) of this section
- 25 within two years after the effective date of this act or at such time the
- 26 <u>tower is taken down for maintenance or other purposes, whichever comes</u>
- 27 first, except that the owner of a tower erected prior to the effective
- 28 date of this act which is not lighted, marked, painted, or modified as
- 29 <u>described in this subsection shall mark such tower as required by</u>
- 30 <u>subsection (2) of this section within ninety days after the effective</u>
- 31 <u>date of this act. The registration requirements of subsection (3) of this</u>

AM1004 AM1004 LB205 DSH - 03/23/2015

- section shall be performed by the owner of a tower erected prior to the 1
- 2 effective date of this act within fifteen business days after the
- 3 effective date of this act.
- (5) A material failure to comply with the marking and registration 4
- 5 requirements of this section shall be admissible as evidence of
- 6 negligence on the part of an owner of a meteorological evaluation tower
- 7 in an action in tort for property damage, bodily injury, or death
- resulting from an aerial collision with such unmarked or unregistered 8
- 9 tower.
- (6) The department may adopt and promulgate rules and regulations 10
- 11 for carrying out the purposes of this section.
- 12 Sec. 3. The Revisor of Statutes shall assign section 2 of this act
- within sections 3-401 to 3-409. 13
- 14 Sec. 4. Original section 3-402, Reissue Revised Statutes of
- 15 Nebraska, is repealed.
- The following section is outright repealed: Section 16 Sec. 5.
- 17 66-1901, Revised Statutes Cumulative Supplement, 2014.
- Since an emergency exists, this act takes effect when 18 Sec. 6.
- passed and approved according to law. 19