LEGISLATURE OF NEBRASKA

ONE HUNDREDTH LEGISLATURE

FIRST SESSION

LEGISLATIVE BILL 274

FINAL READING

Introduced by McDonald, 41; Dubas, 34; Hansen, 42; Pedersen, 39; Wallman, 30

Read first time January 10, 2007

Committee: Judiciary

A BILL

- FOR AN ACT relating to liquefied petroleum gas; to state intent; to
 require a warning label; to provide for a limitation on
 liability; and to provide an operative date.
- 4 Be it enacted by the people of the State of Nebraska,

LB 274

LB 274 1 Section 1. (1) The Legislature finds it is necessary that 2 a leak check be performed following an interruption of service of 3 a liquefied petroleum gas vapor service system to ensure safe and proper operation. Further, the Legislature finds that a leak check 4 5 must be performed by a qualified service technician. 6 (2) It is the intent of the Legislature to create a 7 mechanism that will educate users of liquefied petroleum gas of 8 the requirements for a leak check when an interruption of service 9 occurs. 10 (3) For purposes of this section: 11 (a) Interruption of service means the gas supply to a 12 liquefied petroleum gas vapor service system is turned off; 13 (b) Leak check means an operation performed on a complete 14 liquefied petroleum gas piping system and the connection equipment 15 to verify that the liquefied petroleum gas vapor service system 16 does not leak; 17 (c) Liquefied petroleum gas provider means any person or entity engaged in the business of supplying, handling, 18 19 transporting, or selling at retail liquefied petroleum gas in this 20 state; and 21 (d) Liquefied petroleum gas vapor service system means 22 an installation with a maximum operating pressure of one hundred 23 twenty-five pounds per square inch or less and includes, but is 24 not limited to, the container assembly, pressure regulator or 25 regulators, piping system, gas utilization equipment and components

-2-

| 1 | thereof, and venting system in residential, commercial, or |
|----|--|
| 2 | institutional installations. Liquefied petroleum gas vapor service |
| 3 | system does not include: |
| 4 | (i) Portable liquefied petroleum gas appliances and |
| 5 | equipment of all types that are not connected to a fixed-fuel |
| 6 | piping system; |
| 7 | (ii) Farm appliances and equipment in liquid service, |
| 8 | including, but not limited to, brooders, dehydrators, dryers, and |
| 9 | irrigation equipment; |
| 10 | (iii) Liquefied petroleum gas equipment for vaporization, |
| 11 | gas mixing, and gas manufacturing; |
| 12 | (iv) Liquefied petroleum gas piping for buildings under |
| 13 | construction or renovations that is not to become part of the |
| 14 | permanent building piping system, such as temporary fixed piping |
| 15 | for building heat; or |
| 16 | (v) Fuel gas system engines, including, but not limited |
| 17 | to, tractors, mowers, trucks, and recreational vehicles. |
| 18 | (4) The liquefied petroleum gas provider shall affix a |
| 19 | container warning label on each tank supplying liquefied petroleum |
| 20 | gas to a liquefied petroleum gas vapor service system. The |
| 21 | container warning label shall be affixed near the tank shutoff. |
| 22 | (5) The container warning label required by subsection |
| 23 | (4) of this section shall include this warning: |
| 24 | WARNING: Do Not Open Container Shutoff Valve! If this |
| 25 | valve is turned off for any reason, the National Fuel Gas Code |

-3-

LB 274

| 1 | (NFPA 54) requires a leak check of the system serviced by the |
|----|--|
| 2 | container at the time the valve is turned back on. The leak |
| 3 | check must be conducted by a qualified service technician. Do Not |
| 4 | Attempt To Open The Valve Yourself! Failure to follow this warning |
| 5 | may result in the ignition of leaking gas, causing serious and |
| 6 | potentially fatal injury, fire, or explosion. |
| 7 | The container warning label shall include the statutory |
| 8 | reference to this section. |
| 9 | (6) If the container warning label is affixed near the |
| 10 | tank shutoff as required by subsection (4) of this section and |
| 11 | the liquefied petroleum gas vapor service system is turned on |
| 12 | prior to a leak check by a qualified service technician approved |
| 13 | by the liquefied petroleum gas provider, the liquefied petroleum |
| 14 | gas provider shall not be liable for any damage, injury, or |
| 15 | death if the proximate cause of the damage, injury, or death was |
| 16 | the negligence of a person or persons other than the liquefied |
| 17 | petroleum gas provider. |
| 10 | and a multiplicate becomes encurations on Tally 1, 2000 |

18 Sec. 2. This act becomes operative on July 1, 2008.

-4-