LEGISLATURE OF NEBRASKA

ONE HUNDRED SIXTH LEGISLATURE

FIRST SESSION

LEGISLATIVE BILL 130

FINAL READING

Introduced by DeBoer, 10; Hansen, M., 26; Wayne, 13.

Read first time January 10, 2019

Committee: Urban Affairs

A BILL FOR AN ACT relating to building construction standards; to amend 1 2 sections 71-6403, 71-6404, 71-6406, 76-3501, 76-3502, 76-3503, 3 76-3504, and 76-3505, Reissue Revised Statutes of Nebraska; to 4 change provisions relating to the state building code; to provide 5 radon resistant new construction standards; to provide, change, and eliminate definitions; to restate intent; to eliminate a task force; 6 7 to provide reporting requirements for the Department of Health and 8 Human Services; to harmonize provisions; and to repeal the original 9 sections.

10 Be it enacted by the people of the State of Nebraska,

LB130 2019 LB130 2019

1 Section 1. Section 71-6403, Reissue Revised Statutes of Nebraska, is

- 2 amended to read:
- 3 71-6403 (1) There is hereby created the state building code. The
- 4 Legislature hereby adopts by reference:
- 5 (a) The International Building Code (IBC), chapter 13 of the 2009
- 6 edition, and all but such chapter of the 2012 edition, published by the
- 7 International Code Council, except that (i) section 305.2.3 applies to a
- 8 facility having twelve or fewer children and (ii) section 310.5.1 applies
- 9 to a care facility for twelve or fewer persons;
- 10 (b) The International Residential Code (IRC), chapter 11 of the 2009
- 11 edition, and all but such chapter of the 2012 edition except section
- 12 R313, published by the International Code Council; and
- 13 (c) The International Existing Building Code, 2012 edition,
- 14 published by the International Code Council.
- 15 (2) The codes adopted by reference in subsection (1) of this section
- 16 <u>and the minimum standards for radon resistant new construction adopted</u>
- 17 under section 76-3504 shall constitute the state building code except as
- 18 amended pursuant to the Building Construction Act or as otherwise
- 19 authorized by state law.
- Sec. 2. Section 71-6404, Reissue Revised Statutes of Nebraska, is
- 21 amended to read:
- 22 71-6404 (1) For purposes of the Building Construction Act:
- 23 (a) Component , component means a portion of the state building code
- 24 <u>created</u> adopted by reference pursuant to section 71-6403; and -
- 25 (b) Radon resistant new construction has the same meaning as in
- 26 <u>section 76-3503.</u>
- 27 (2) The state building code shall be the building and construction
- 28 standard within the state and shall be applicable:
- 29 (a) To all buildings and structures owned by the state or any state
- 30 agency; and
- 31 (b) In each county, city, or village which elects to adopt the state

1 building code or any component or combination of components of the state

- 2 building code.
- 3 Sec. 3. Section 71-6406, Reissue Revised Statutes of Nebraska, is
- 4 amended to read:
- 5 71-6406 (1) Any county, city, or village may enact, administer, or
- 6 enforce a local building or construction code if or as long as such
- 7 county, city, or village:
- 8 (a) Adopts the state building code; or
- 9 (b) Adopts a building or construction code that conforms generally
- 10 with the state building code.
- 11 (2) A <u>local</u> building or construction code shall be deemed to conform
- 12 generally with the state building code if it:
- 13 (a) Adopts a special or differing building standard by amending,
- 14 modifying, or deleting any portion of the state building code in order to
- 15 reduce unnecessary costs of construction, increase safety, durability, or
- 16 efficiency, establish best building or construction practices within the
- 17 county, city, or village, or address special local conditions within the
- 18 county, city, or village;
- 19 (b) Adopts any supplement, new edition, appendix, or component or
- 20 combination of components of the state building code;
- 21 (c) Adopts section 305 of the 2012 edition of the International
- 22 Building Code without the exceptions described in subdivision (1)(a) of
- 23 section 71-6403, chapter 13 of the 2012 edition of the International
- 24 Building Code, chapter 11 of the 2012 edition of the International
- 25 Residential Code, or section R313 of the 2012 edition of the
- 26 International Residential Code;
- 27 (d) Adopts a plumbing code, an electrical code, a fire prevention
- 28 code, or any other standard code as authorized under section 14-419,
- 29 15-905, 18-132, or 23-172; or
- 30 (e) Adopts a lighting and thermal efficiency ordinance, resolution,
- 31 code, or standard as authorized under section 81-1618; or -

- 1 (f) Adopts minimum standards for radon resistant new construction 2 which meet the minimum standards adopted under section 76-3504.
- 3 (3) A local building or construction code which includes a prior
- 4 edition of any component or combination of components of the state
- 5 building code shall not be deemed to conform generally with the state
- 6 building code if it: -
- 7 (a) Includes a prior edition of any component or combination of
- 8 components of the state building code; or
- 9 (b) Does not include minimum standards for radon resistant new
- 10 <u>construction that meet the minimum standards adopted under section</u>
- 11 76-3504.
- 12 (4) A county, city, or village shall not adopt or enforce a local
- 13 building or construction code other than as provided by this section.
- 14 (5) A county, city, or village which adopts or enforces a local
- 15 building or construction code under this section shall regularly update
- 16 its code. For purposes of this section, a code shall be deemed to be
- 17 regularly updated if the most recently enacted state building code or a
- 18 code that conforms generally with the state building code is adopted by
- 19 the county, city, or village within two years after an update to the
- 20 state building code.
- 21 (6) A county, city, or village may adopt amendments for the proper
- 22 administration and enforcement of its local building or construction code
- 23 including organization of enforcement, qualifications of staff members,
- 24 examination of plans, inspections, appeals, permits, and fees. Any
- 25 amendment adopted pursuant to this section shall be published separately
- 26 from the local building or construction code.
- 27 (7) A county, city, or village which adopts one or more standard
- 28 codes as part of its local building or construction code under this
- 29 section shall keep at least one copy of each adopted code, or portion
- 30 thereof, for use and examination by the public in the office of the clerk
- 31 of the county, city, or village prior to the adoption of the code and as

- 1 long as such code is in effect.
- 2 (8) Notwithstanding the provisions of the Building Construction Act,
- 3 a public building of any political subdivision shall be built in
- 4 accordance with the applicable local building or construction code. Fees,
- 5 if any, for services which monitor a builder's application of codes shall
- 6 be negotiable between the political subdivisions involved, but such fees
- 7 shall not exceed the actual expenses incurred by the county, city, or
- 8 village doing the monitoring.
- 9 Sec. 4. Section 76-3501, Reissue Revised Statutes of Nebraska, is
- 10 amended to read:
- 11 76-3501 Sections 76-3501 to 76-3505 <u>and sections 9 and 10 of this</u>
- 12 act shall be known and may be cited as the Radon Resistant New
- 13 Construction Act.
- 14 Sec. 5. Section 76-3502, Reissue Revised Statutes of Nebraska, is
- 15 amended to read:
- 16 76-3502 The Legislature finds that:
- 17 (1) Radon is a radioactive element that is part of the radioactive
- 18 decay chain of naturally occurring uranium in soil;
- 19 (2) Radon is the leading cause of lung cancer among nonsmokers and
- 20 is the number one risk in homes according to the Harvard Center for Risk
- 21 Analysis at the Harvard T.H. Chan School of Public Health;
- 22 (3) The World Health Organization Handbook on Indoor Radon includes
- 23 key messages which state:
- 24 (a) "There is no known threshold concentration below which radon
- 25 exposure presents no risk."; and
- 26 (b) "The majority of radon-induced lung cancers are caused by low
- 27 and moderate radon concentrations rather than by high radon
- 28 concentrations, because in general less people are exposed to high indoor
- 29 radon concentrations.";
- 30 (4) The Surgeon General of the United States urged Americans to test
- 31 their homes to find out how much radon they might be breathing;

- 1 (5) The United States Environmental Protection Agency estimates that
- 2 more than twenty thousand Americans die of radon-related lung cancer each
- 3 year;—and
- 4 (6) The United States Environmental Protection Agency has identified
- 5 radon levels in Nebraska as the third highest in the United States
- 6 because of the high concentration of uranium in the soil; and -
- 7 <u>(7) In 2018, the Radon Resistant New Construction Task Force</u>
- 8 <u>recommended minimum standards for radon resistant new construction to the</u>
- 9 Governor, the Health and Human Services Committee of the Legislature, and
- 10 the Urban Affairs Committee of the Legislature.
- 11 Sec. 6. Section 76-3503, Reissue Revised Statutes of Nebraska, is
- 12 amended to read:
- 13 76-3503 For purposes of the Radon Resistant New Construction Act:
- 14 (1) Active radon mitigation system means a family of radon
- 15 mitigation systems involving mechanically driven soil depressurization,
- 16 including subslab depressurization, drain tile depressurization, block
- 17 wall depressurization, and submembrane depressurization. Active radon
- 18 mitigation system is also known as active soil depressurization;
- 19 (2) Building code means an ordinance, resolution, or law that
- 20 establishes standards applicable to new construction;
- 21 (2) (3) Building contractor means any individual, corporation,
- 22 partnership, limited liability company, or other business entity that
- 23 engages in new construction;
- 24 (3) (4) Department means the Department of Health and Human
- 25 Services;
- 26 (4) (5) New construction means any original construction of a
- 27 single-family home or a multifamily dwelling, including apartments, group
- 28 homes, condominiums, and townhouses, or any original construction of a
- 29 building used for commercial, industrial, educational, or medical
- 30 purposes. New construction does not include additions to existing
- 31 structures or remodeling of existing structures;

- 1 (5) (6) Passive radon mitigation system new construction pipe means
- 2 a pipe installed in new construction that relies solely on the convective
- 3 flow of air upward for soil gas depressurization and may consist of
- 4 multiple pipes routed through conditioned space from below the foundation
- 5 to above the roof; and
- (6) Radon mitigation specialist means an individual who is
- 7 licensed by the department as a radon mitigation specialist in accordance
- 8 with the Radiation Control Act; and \pm
- 9 (7) Radon resistant new construction means construction that
- 10 <u>utilizes design elements and construction techniques that passively</u>
- 11 <u>resist radon entry and prepare a building for an active postconstruction</u>
- 12 <u>mitigation system.</u>
- 13 Sec. 7. Section 76-3504, Reissue Revised Statutes of Nebraska, is
- 14 amended to read:
- 15 76-3504 Except as provided in section 76-3505, new construction
- 16 built after the effective date of this act in the State of Nebraska that
- 17 is intended to be regularly occupied by people shall be built using radon
- 18 <u>resistant new construction. Such construction shall meet the following</u>
- 19 minimum standards:
- 20 <u>(1) Sumps:</u>
- 21 (a) A sump pit open to soil or serving as the termination point for
- 22 subslab or exterior drain tile loops shall be covered with a gasketed or
- 23 otherwise sealed lid;
- 24 (b) A sump used as the suction point in a subslab depressurization
- 25 system shall have a lid designed to accommodate the vent pipe; and
- 26 (c) A sump used as a floor drain shall have a lid equipped with a
- 27 trapped inlet;
- 28 (2) A passive subslab depressurization system shall be installed
- 29 <u>during construction in basement or slab-on-grade buildings, including the</u>
- 30 <u>following components:</u>
- 31 <u>(a) Vent pipe:</u>

1 (i)(A) A minimum three-inch diameter acrylonitrile butadiene styrene

- 2 (ABS), polyvinyl chloride (PVC), or equivalent gas-tight pipe shall be
- 3 embedded vertically into the subslab permeable material before the slab
- 4 is cast. A "T" fitting or equivalent method shall be used to ensure that
- 5 the pipe opening remains within the subslab permeable material; or
- 6 (B) A minimum three-inch diameter ABS, PVC, or equivalent gas-tight
- 7 pipe shall be inserted directly into an interior perimeter drain tile
- 8 <u>loop or through a sealed sump cover where the sump is exposed to the</u>
- 9 subslab or connected to it through a drainage system;
- 10 (ii) The pipe shall be extended up through the building floors and
- 11 terminate at least twelve inches above the surface of the roof in a
- 12 location at least ten feet away from any window or other opening into the
- 13 conditioned spaces of the building that is less than two feet below the
- 14 exhaust point and ten feet from any window or other opening in adjoining
- 15 or adjacent buildings; and
- 16 <u>(iii) In buildings where interior footings or other barriers</u>
- 17 <u>separate the subslab gas-permeable material, each area shall be fitted</u>
- 18 <u>with an individual vent pipe. Vent pipes shall connect to a single vent</u>
- 19 that terminates above the roof or each individual vent pipe shall
- 20 <u>terminate separately above the roof. All exposed and visible interior</u>
- 21 radon vent pipes shall be identified with at least one label on each
- 22 floor and in accessible attics. Such label shall read: Radon Reduction
- 23 System; and
- 24 (3) Power source: In order to provide for future installation of an
- 25 <u>active radon mitigation system, an electrical circuit terminated in an</u>
- 26 <u>approved box shall be installed during construction in the attic or other</u>
- 27 <u>anticipated location of vent pipe fans.</u>
- 28 (1) The Radon Resistant New Construction Task Force is created. The
- 29 task force shall consist of the chief medical officer of the Division of
- 30 Public Health of the Department of Health and Human Services as
- 31 designated in section 81-3115 or his or her designee, who shall serve as

- 1 the chairperson of the task force, and the following additional members
- 2 to be appointed by the Governor:
- 3 (a) Three representatives of home builders' associations in
- 4 Nebraska, each from a different congressional district;
- 5 (b) A representative of a home inspectors' association in Nebraska;
- 6 (c) Two representatives of commercial construction associations, one
- 7 of whom must have experience related to large-scale projects and one of
- 8 whom must have experience related to medium-scale to small-scale
- 9 projects;
- 10 (d) A representative of a Nebraska realtors' organization;
- 11 (e) A representative of a respiratory disease organization;
- 12 (f) A representative of a cancer research and prevention
- 13 organization;
- 14 (g) A representative of the League of Nebraska Municipalities;
- 15 (h) Three community public health representatives, each from a
- 16 different congressional district;
- 17 (i) A professional engineer as defined in section 81-3422;
- 18 (j) An architect as defined in section 81-3404; and
- 19 (k) A representative with expertise in residential or commercial
- 20 building codes.
- 21 (2) The task force shall meet at the call of the chairperson. The
- 22 appointed members of the task force shall serve without compensation but
- 23 shall be reimbursed for their actual and necessary expenses as provided
- 24 in sections 81-1174 to 81-1177. The department shall provide staff and
- 25 support for the operation of the task force.
- 26 (3) The task force shall develop minimum standards for radon
- 27 resistant new construction and shall recommend such minimum standards to
- 28 the Governor, to the Health and Human Services Committee of the
- 29 Legislature, and to the Urban Affairs Committee of the Legislature. In
- 30 developing such minimum standards, the task force shall:
- 31 (a) Design the minimum standards so that they may be enforced by a

- 1 county, city, or village as part of its local building code;
- 2 (b) Consider Appendix F of the International Residential Code for
- 3 One- and Two-Family Dwellings, 2012 edition, published by the
- 4 International Code Council; and
- 5 (c) Consider including the following provisions in such minimum
- 6 standards:
- 7 (i) A requirement that the installation of an active radon
- 8 mitigation system only be performed by a building contractor or his or
- 9 her subcontractors or by a radon mitigation specialist;
- 10 (ii) A requirement that the installation of radon resistant new
- 11 construction only be performed by a building contractor or his or her
- 12 subcontractors or by a radon mitigation specialist; and
- 13 (iii) A requirement that only a building contractor or his or her
- 14 subcontractors or a radon mitigation specialist be allowed to install a
- 15 radon vent fan or upgrade a passive new construction pipe to an active
- 16 radon mitigation system.
- 17 (4) The task force shall provide its recommendations by April 15,
- 18 2018. The task force and this section terminate on May 1, 2018.
- 19 Sec. 8. Section 76-3505, Reissue Revised Statutes of Nebraska, is
- 20 amended to read:
- 21 76-3505 New construction after the effective date of this act shall
- 22 not be required to use radon resistant new construction if (1) the
- 23 construction project utilizes the design of an architect or professional
- 24 engineer licensed under the Engineers and Architects Regulation Act, (2)
- 25 the construction project is located in a county in which the average
- 26 radon concentration is less than two and seven-tenths picocuries per
- 27 liter of air as determined by the department pursuant to section 10 of
- 28 this act, or (3) other than for any residential dwelling unit, a local
- 29 <u>building official makes a determination</u>, <u>after a review of relevant</u>
- 30 guidelines for the intended use of the structure and property conditions,
- 31 that radon resistant new construction is not necessary. It is the intent

LB130 2019 LB130 2019

1 of the Legislature that the recommendations provided by the Radon

- 2 Resistant New Construction Task Force under section 76-3504 be used by
- 3 the Legislature during the 2019 legislative session to establish, in
- 4 statute, minimum standards for radon resistant new construction.
- 5 Sec. 9. A building contractor or a subcontractor of a building
- 6 contractor may convert a passive radon mitigation system to an active
- 7 radon mitigation system in accordance with rules and regulations adopted
- 8 and promulgated by the department under the Radiation Control Act for
- 9 radon mitigation, but the contractor or subcontractor is not required to
- 10 be a radon mitigation specialist to convert such system. A radon
- 11 <u>mitigation specialist shall conduct any postinstallation testing of such</u>
- 12 system.
- Sec. 10. On or before January 1, 2020, and on or before January 1
- 14 of each year thereafter, the department shall compile the results of the
- 15 radon measurements performed in the past five years that were reported to
- 16 the department pursuant to the rules and regulations adopted and
- 17 promulgated by the department regarding the control of radiation and
- 18 report such compilation electronically to the Clerk of the Legislature.
- 19 Such report shall determine the average radon concentration in Nebraska
- 20 by county and identify each county in which such average concentration
- 21 exceeds two and seven-tenths picocuries per liter of air.
- 22 Sec. 11. Original sections 71-6403, 71-6404, 71-6406, 76-3501,
- 23 76-3502, 76-3503, 76-3504, and 76-3505, Reissue Revised Statutes of
- 24 Nebraska, are repealed.