

LEGISLATURE OF NEBRASKA  
ONE HUNDRED FIFTH LEGISLATURE  
FIRST SESSION

**LEGISLATIVE BILL 293**

Introduced by Larson, 40.

Read first time January 11, 2017

Committee: Judiciary

1 A BILL FOR AN ACT relating to the Uniform Controlled Substances Act; to  
2 amend section 28-405, Reissue Revised Statutes of Nebraska; to  
3 include U-47700 as a Schedule I controlled substance; and to repeal  
4 the original section.  
5 Be it enacted by the people of the State of Nebraska,

1       Section 1. Section 28-405, Reissue Revised Statutes of Nebraska, is  
2 amended to read:

3       28-405 The following are the schedules of controlled substances  
4 referred to in the Uniform Controlled Substances Act:

5       Schedule I

6           (a) Any of the following opiates, including their isomers, esters,  
7 ethers, salts, and salts of isomers, esters, and ethers, unless  
8 specifically excepted, whenever the existence of such isomers, esters,  
9 ethers, and salts is possible within the specific chemical designation:

10          (1) Acetylmethadol;

11          (2) Allylprodine;

12          (3) Alphacetylmethadol, except levo-alphacetylmethadol which is also  
13 known as levo-alpha-acetylmethadol, levomethadyl acetate, and LAAM;

14          (4) Alphameprodine;

15          (5) Alphamethadol;

16          (6) Benzethidine;

17          (7) Betacetylmethadol;

18          (8) Betameprodine;

19          (9) Betamethadol;

20          (10) Betaprodine;

21          (11) Clonitazene;

22          (12) Dextromoramide;

23          (13) Difenoxin;

24          (14) Diampromide;

25          (15) Diethylthiambutene;

26          (16) Dimenoxadol;

27          (17) Dimepheptanol;

28          (18) Dimethylthiambutene;

29          (19) Dioxaphetyl butyrate;

30          (20) Dipipanone;

31          (21) Ethylmethylthiambutene;

1               (22) Etonitazene;  
2               (23) Etoxeridine;  
3               (24) Furethidine;  
4               (25) Hydroxypethidine;  
5               (26) Ketobemidone;  
6               (27) Levomoramide;  
7               (28) Levophenacylmorphan;  
8               (29) Morpheridine;  
9               (30) Noracymethadol;  
10              (31) Norlevorphanol;  
11              (32) Normethadone;  
12              (33) Norpipanone;  
13              (34) Phenadoxone;  
14              (35) Phenampromide;  
15              (36) Phenomorphan;  
16              (37) Phenoperidine;  
17              (38) Piritramide;  
18              (39) Proheptazine;  
19              (40) Properidine;  
20              (41) Propiram;  
21              (42) Racemoramide;  
22              (43) Trimeperidine;  
23              (44) Alpha-methylfentanyl, N-(1-(alpha-methyl-beta-phenyl)ethyl-4-  
24    piperidyl) propionanilide, 1-(1-methyl-2-phenylethyl)-4-(N-propanilido)  
25    piperidine;  
26              (45) Tilidine;  
27              (46) 3-Methylfentanyl, N-(3-methyl-1-(2-phenylethyl)-4-piperidyl)-N-  
28    phenylpropanamide, its optical and geometric isomers, salts, and salts of  
29    isomers;  
30              (47) 1-methyl-4-phenyl-4-propionoxypiperidine (MPPP), its optical  
31    isomers, salts, and salts of isomers;

1           (48)    PEPAP,    1-(2-phenethyl)-4-phenyl-4-acetoxypiperidine,   its  
2   optical isomers, salts, and salts of isomers;

3           (49)    Acetyl-alpha-methylfentanyl,   N-(1-(1-methyl-2-phenethyl)-4-  
4   piperidinyl)-N-phenylacetamide, its optical isomers, salts, and salts of  
5   isomers;

6           (50)    Alpha-methylthiofentanyl,   N-(1-methyl-2-(2-thienyl)ethyl-4-  
7   piperidinyl)-N-phenylpropanamide, its optical isomers, salts, and salts  
8   of isomers;

9           (51)    Benzylfentanyl,   N-(1-benzyl-4-piperidyl)-N-phenylpropanamide,  
10   its optical isomers, salts, and salts of isomers;

11          (52)    Beta-hydroxyfentanyl,        N-(1-(2-hydroxy-2-phenethyl)-4-  
12   piperidinyl)-N-phenylpropanamide, its optical isomers, salts, and salts  
13   of isomers;

14          (53)    Beta-hydroxy-3-methylfentanyl, (other name: N-(1-(2-hydroxy-2-  
15   phenethyl)-3-methyl-4-piperidinyl)-N-phenylpropanamide), its optical and  
16   geometric isomers, salts, and salts of isomers;

17          (54)    3-methylthiofentanyl,        N-(3-methyl-1-(2-thienyl)ethyl-4-  
18   piperidinyl)-N-phenylpropanamide, its optical and geometric isomers,  
19   salts, and salts of isomers;

20          (55)    N-(1-(2-thienyl)methyl-4-piperidyl)-N-phenylpropanamide  
21   (thenylfentanyl), its optical isomers, salts, and salts of isomers;

22          (56)    Thiofentanyl,   N-phenyl-N-(1-(2-thienyl)ethyl-4-piperidinyl)-  
23   propanamide, its optical isomers, salts, and salts of isomers; and

24          (57)    Para-fluorofentanyl,   N-(4-fluorophenyl)-N-(1-(2-phenethyl)-4-  
25   piperidinyl)propanamide, its optical isomers, salts, and salts of  
26   isomers; and -

27          (58)    U-47700,    3,4-dichloro-N-[2-(dimethylamino)cyclohexyl]-N-  
28   methylbenzamide.

29          (b) Any of the following opium derivatives, their salts, isomers,  
30   and salts of isomers, unless specifically excepted, whenever the  
31   existence of such salts, isomers, and salts of isomers is possible within

1 the specific chemical designation:

2 (1) Acetorphine;

3 (2) Acetyldihydrocodeine;

4 (3) Benzylmorphine;

5 (4) Codeine methylbromide;

6 (5) Codeine-N-Oxide;

7 (6) Cyprenorphine;

8 (7) Desomorphine;

9 (8) Dihydromorphine;

10 (9) Drotebanol;

11 (10) Etorphine, except hydrochloride salt;

12 (11) Heroin;

13 (12) Hydromorphenol;

14 (13) Methyldesorphine;

15 (14) Methyldihydromorphine;

16 (15) Morphine methylbromide;

17 (16) Morphine methylsulfonate;

18 (17) Morphine-N-Oxide;

19 (18) Myrophine;

20 (19) Nicocodeine;

21 (20) Nicomorphine;

22 (21) Normorphine;

23 (22) Pholcodine; and

24 (23) Thebacon.

25 (c) Any material, compound, mixture, or preparation which contains

26 any quantity of the following hallucinogenic substances, their salts,

27 isomers, and salts of isomers, unless specifically excepted, whenever the

28 existence of such salts, isomers, and salts of isomers is possible within

29 the specific chemical designation, and, for purposes of this subdivision

30 only, isomer shall include the optical, position, and geometric isomers:

31 (1) Bufotenine. Trade and other names shall include, but are not

1 limited to: 3-(beta-Dimethylaminoethyl)-5-hydroxyindole; 3-(2-dimethylaminoethyl)-5-indolol; N,N-dimethylserotonin; 5-hydroxy-N,N-dimethyltryptamine; and mappine;

4 (2) 4-bromo-2,5-dimethoxyamphetamine. Trade and other names shall  
5 include, but are not limited to: 4-bromo-2,5-dimethoxy-alpha-methylphenethylamine; and 4-bromo-2,5-DMA;

7 (3) 4-methoxyamphetamine. Trade and other names shall include, but  
8 are not limited to: 4-methoxy-alpha-methylphenethylamine; and  
9 paramethoxyamphetamine, PMA;

10 (4) 4-methyl-2,5-dimethoxyamphetamine. Trade and other names shall  
11 include, but are not limited to: 4-methyl-2,5-dimethoxy-alpha-methylphenethylamine; DOM; and STP;

13 (5) Ibogaine. Trade and other names shall include, but are not  
14 limited to: 7-Ethyl-6,6beta,7,8,9,10,12,13-octahydro-2-methoxy-6,9-methano-5H-pyrido (1',2':1,2) azepino (5,4-b) indole; and Tabernanthe  
16 iboga;

17 (6) Lysergic acid diethylamide;

18 (7) Marijuana;

19 (8) Mescaline;

20 (9) Peyote. Peyote shall mean all parts of the plant presently  
21 classified botanically as Lophophora williamsii Lemaire, whether growing  
22 or not, the seeds thereof, any extract from any part of such plant, and  
23 every compound, manufacture, salts, derivative, mixture, or preparation  
24 of such plant or its seeds or extracts;

25 (10) Psilocybin;

26 (11) Psilocyn;

27 (12) Tetrahydrocannabinols, including, but not limited to, synthetic  
28 equivalents of the substances contained in the plant or in the resinous  
29 extractives of cannabis, sp. or synthetic substances, derivatives, and  
30 their isomers with similar chemical structure and pharmacological  
31 activity such as the following: Delta 1 cis or trans tetrahydrocannabinol

1 and their optical isomers, excluding dronabinol in sesame oil and  
2 encapsulated in a soft gelatin capsule in a drug product approved by the  
3 federal Food and Drug Administration; Delta 6 cis or trans  
4 tetrahydrocannabinol and their optical isomers; and Delta 3,4 cis or  
5 trans tetrahydrocannabinol and its optical isomers. Since nomenclature of  
6 these substances is not internationally standardized, compounds of these  
7 structures shall be included regardless of the numerical designation of  
8 atomic positions covered;

9 (13) N-ethyl-3-piperidyl benzilate;

10 (14) N-methyl-3-piperidyl benzilate;

11 (15) Thiophene analog of phencyclidine. Trade and other names shall  
12 include, but are not limited to: 1-(1-(2-thienyl)-cyclohexyl)-piperidine;  
13 2-thienyl analog of phencyclidine; TPCP; and TCP;

14 (16) Hashish or concentrated cannabis;

15 (17) Parahexyl. Trade and other names shall include, but are not  
16 limited to: 3-Hexyl-1-hydroxy-7,8,9,10-tetrahydro-6,6,9-trimethyl-6H-  
17 dibenzo(b,d)pyran; and Synhexyl;

18 (18) Ethylamine analog of phencyclidine. Trade and other names shall  
19 include, but are not limited to: N-ethyl-1-phenylcyclohexylamine; (1-  
20 phenylcyclohexyl)ethylamine; N-(1-phenylcyclohexyl)ethylamine;  
21 cyclohexamine; and PCE;

22 (19) Pyrrolidine analog of phencyclidine. Trade and other names  
23 shall include, but are not limited to: 1-(1-phenylcyclohexyl)-  
24 pyrrolidine; PCPy; and PHP;

25 (20) Alpha-ethyltryptamine. Some trade or other names: etryptamine;  
26 Monase; alpha-ethyl-1H-indole-3-ethanamine; 3-(2-aminobutyl) indole;  
27 alpha-ET; and AET;

28 (21) 2,5-dimethoxy-4-ethylamphet-amine; and DOET;

29 (22) 1-(1-(2-thienyl)cyclohexyl)pyrrolidine; and TCPy;

30 (23) Alpha-methyltryptamine, which is also known as AMT;

31 (24) *Salvia divinorum* or Salvinorin A. *Salvia divinorum* or

1   Salvinorin A includes all parts of the plant presently classified  
2   botanically as *Salvia divinorum*, whether growing or not, the seeds  
3   thereof, any extract from any part of such plant, and every compound,  
4   manufacture, derivative, mixture, or preparation of such plant, its  
5   seeds, or its extracts, including salts, isomers, and salts of isomers  
6   whenever the existence of such salts, isomers, and salts of isomers is  
7   possible within the specific chemical designation;

8                 (25) Any material, compound, mixture, or preparation containing any  
9    quantity of synthetically produced cannabinoids as listed in subdivisions  
10   (A) through (L) of this subdivision, including their salts, isomers,  
11    salts of isomers, and nitrogen, oxygen, or sulfur-heterocyclic analogs,  
12   unless specifically excepted elsewhere in this section. Since  
13   nomenclature of these synthetically produced cannabinoids is not  
14   internationally standardized and may continually evolve, these structures  
15   or compounds of these structures shall be included under this  
16   subdivision, regardless of their specific numerical designation of atomic  
17   positions covered, so long as it can be determined through a recognized  
18   method of scientific testing or analysis that the substance contains  
19   properties that fit within one or more of the following categories:

20                 (A) Tetrahydrocannabinols: Meaning tetrahydrocannabinols naturally  
21    contained in a plant of the genus *cannabis* (*cannabis* plant), as well as  
22    synthetic equivalents of the substances contained in the plant, or in the  
23    resinous extractives of *cannabis*, sp. and/or synthetic substances,  
24    derivatives, and their isomers with similar chemical structure and  
25    pharmacological activity such as the following: Delta 1 cis or trans  
26    tetrahydrocannabinol, and their optical isomers; Delta 6 cis or trans  
27    tetrahydrocannabinol, and their optical isomers; Delta 3,4 cis or trans  
28    tetrahydrocannabinol, and its optical isomers;

29                 (B) Naphthoylindoles: Any compound containing a 3-(1-  
30    naphthoyl)indole structure with substitution at the nitrogen atom of the  
31    indole ring by an alkyl, haloalkyl, alkenyl, halobenzyl, benzyl,

1     cycloalkylmethyl,     cycloalkylethyl,     2-(4-morpholinyl)ethyl     group,  
2     cyanoalkyl,                 1-(N-methyl-2-piperidinyl)methyl,                 1-(N-methyl-2-  
3     pyrrolidinyl)methyl,                 1-(N-methyl-3-morpholinyl)methyl,                 or  
4     tetrahydropyranyl methyl group, whether or not further substituted in or  
5     on any of the listed ring systems to any extent;

6                 (C) Naphthylmethylindoles: Any compound containing a 1 H-indol-3-yl-  
7     (1-naphthyl)methane structure with substitution at the nitrogen atom of  
8     the indole ring by an alkyl, haloalkyl, alkenyl, halobenzyl, benzyl,  
9     cycloalkylmethyl,     cycloalkylethyl,     2-(4-morpholinyl)ethyl     group,  
10    cyanoalkyl,                 1-(N-methyl-2-piperidinyl)methyl,                 1-(N-methyl-2-  
11    pyrrolidinyl)methyl,                 1-(N-methyl-3-morpholinyl)methyl,                 or  
12    tetrahydropyranyl methyl group, whether or not further substituted in or  
13    on any of the listed ring systems to any extent;

14                 (D) Naphthoylpyrroles: Any compound containing a 3-(1-  
15    naphthoyl)pyrrole structure with substitution at the nitrogen atom of the  
16    pyrrole ring by an alkyl, haloalkyl, alkenyl, halobenzyl, benzyl,  
17    cycloalkylmethyl,     cycloalkylethyl,     2-(4-morpholinyl)ethyl     group,  
18    cyanoalkyl,                 1-(N-methyl-2-piperidinyl)methyl,                 1-(N-methyl-2-  
19    pyrrolidinyl)methyl,                 1-(N-methyl-3-morpholinyl)methyl,                 or  
20    tetrahydropyranyl methyl group, whether or not further substituted in or  
21    on any of the listed ring systems to any extent;

22                 (E) Naphthylideneindenes: Any compound containing a  
23    naphthylideneindene structure with substitution at the 3-position of the  
24    indene ring by an alkyl, haloalkyl, alkenyl, halobenzyl, benzyl,  
25    cycloalkylmethyl,     cycloalkylethyl,     2-(4-morpholinyl)ethyl     group,  
26    cyanoalkyl,                 1-(N-methyl-2-piperidinyl)methyl,                 1-(N-methyl-2-  
27    pyrrolidinyl)methyl,                 1-(N-methyl-3-morpholinyl)methyl,                 or  
28    tetrahydropyranyl methyl group, whether or not further substituted in or  
29    on any of the listed ring systems to any extent;

30                 (F) Phenylacetylindoles: Any compound containing a 3-  
31    phenylacetylindole structure with substitution at the nitrogen atom of

1 the indole ring by an alkyl, haloalkyl, alkenyl, halobenzyl, benzyl,  
2 cycloalkylmethyl, cycloalkylethyl, 2-(4-morpholinyl)ethyl group,  
3 cyanoalkyl, 1-(N-methyl-2-piperidinyl)methyl, 1-(N-methyl-2-  
4 pyrrolidinyl)methyl, 1-(N-methyl-3-morpholinyl)methyl, or  
5 tetrahydropyranyl methyl group, whether or not further substituted in or  
6 on any of the listed ring systems to any extent;

7 (G) Cyclohexylphenols: Any compound containing a 2-(3-  
8 hydroxycyclohexyl)phenol structure with substitution at the 5-position of  
9 the phenolic ring by an alkyl, haloalkyl, alkenyl, halobenzyl, benzyl,  
10 cycloalkylmethyl, cycloalkylethyl, 2-(4-morpholinyl)ethyl group,  
11 cyanoalkyl, 1-(N-methyl-2-piperidinyl)methyl, 1-(N-methyl-2-  
12 pyrrolidinyl)methyl, 1-(N-methyl-3-morpholinyl)methyl, or  
13 tetrahydropyranyl methyl group, whether or not substituted in or on any of  
14 the listed ring systems to any extent;

15 (H) Benzoylindoles: Any compound containing a 3-(benzoyl)indole  
16 structure with substitution at the nitrogen atom of the indole ring by an  
17 alkyl, haloalkyl, alkenyl, halobenzyl, benzyl, cycloalkylmethyl,  
18 cycloalkylethyl, 2-(4-morpholinyl)ethyl group, cyanoalkyl, 1-(N-methyl-2-  
19 piperidinyl)methyl, 1-(N-methyl-2-pyrrolidinyl)methyl, 1-(N-methyl-3-  
20 morpholinyl)methyl, or tetrahydropyranyl methyl group, whether or not  
21 further substituted in or on any of the listed ring systems to any  
22 extent;

23 (I) Adamantoylindoles: Any compound containing a 3-adamantoylindole  
24 structure with substitution at the nitrogen atom of the indole ring by an  
25 alkyl, haloalkyl, cyanoalkyl, alkenyl, halobenzyl, benzyl,  
26 cycloalkylmethyl, cycloalkylethyl, 1-(N-methyl-2-piperidinyl)methyl, 2-  
27 (4-morpholinyl)ethyl, 1-(N-methyl-2-pyrrolidinyl)methyl, 1-(N-methyl-3-  
28 morpholinyl)methyl, or tetrahydropyranyl methyl group, whether or not  
29 further substituted in or on any of the listed ring systems to any  
30 extent;

31 (J) Tetramethylcyclopropanoylindoles: Any compound containing a 3-

1      tetramethylcyclopropanoylindole structure with substitution at the  
2      nitrogen atom of the indole ring by an alkyl, haloalkyl, cyanoalkyl,  
3      alkenyl, halobenzyl, benzyl, cycloalkylmethyl, cycloalkylethyl, 1-(N-  
4      methyl-2-piperidinyl)methyl, 2-(4-morpholinyl)ethyl, 1-(N-methyl-2-  
5      pyrrolidinyl)methyl, 1-(N-methyl-3-morpholinyl)methyl, or  
6      tetrahydropyranyl methyl group, whether or not further substituted in or  
7      on any of the listed ring systems to any extent;

8            (K) Indole carboxamides: Any compound containing a 1-indole-3-  
9      carboxamide structure with substitution at the nitrogen atom of the  
10     indole ring by an alkyl, haloalkyl, cyanoalkyl, alkenyl, halobenzyl,  
11     benzyl, cycloalkylmethyl, cycloalkylethyl, 1-(N-methyl-2-  
12     piperidinyl)methyl, 2-(4-morpholinyl)ethyl, 1-(N-methyl-2-  
13     pyrrolidinyl)methyl, 1-(N-methyl-3-morpholinyl)methyl, or  
14     tetrahydropyranyl methyl group, substitution at the carboxamide group by  
15     an alkyl, methoxy, benzyl, propionaldehyde, adamantyl, 1-naphthyl,  
16     phenyl, aminoxyoalkyl group, or quinolinyl group, whether or not further  
17     substituted in or on any of the listed ring systems to any extent or to  
18     the adamantyl, 1-mapthyl, phenyl, aminoxyoalkyl, benzyl, or  
19     propionaldehyde groups to any extent;

20            (L) Indole carboxylates: Any compound containing a 1-indole-3-  
21      carboxylate structure with substitution at the nitrogen atom of the  
22      indole ring by an alkyl, haloalkyl, cyanoalkyl, alkenyl, halobenzyl,  
23      benzyl, cycloalkylmethyl, cycloalkylethyl, 1-(N-methyl-2-  
24      piperidinyl)methyl, 2-(4-morpholinyl)ethyl, 1-(N-methyl-2-  
25      pyrrolidinyl)methyl, 1-(N-methyl-3-morpholinyl)methyl, or  
26      tetrahydropyranyl methyl group, substitution at the carboxylate group by  
27      an alkyl, methoxy, benzyl, propionaldehyde, adamantyl, 1-naphthyl,  
28      phenyl, aminoxyoalkyl group, or quinolinyl group, whether or not further  
29      substituted in or on any of the listed ring systems to any extent or to  
30      the adamantyl, 1-mapthyl, phenyl, aminoxyoalkyl, benzyl, or  
31      propionaldehyde groups to any extent; and

1           (M) Any nonnaturally occurring substance, chemical compound,  
2 mixture, or preparation, not specifically listed elsewhere in these  
3 schedules and which is not approved for human consumption by the federal  
4 Food and Drug Administration, containing or constituting a cannabinoid  
5 receptor agonist as defined in section 28-401;

6           (26) Any material, compound, mixture, or preparation containing any  
7 quantity of a substituted phenethylamine as listed in subdivisions (A)  
8 through (C) of this subdivision, unless specifically excepted, listed in  
9 another schedule, or specifically named in this schedule, that is  
10 structurally derived from phenylethan-2-amine by substitution on the  
11 phenyl ring with a fused methylenedioxy ring, fused furan ring, or a  
12 fused tetrahydrofuran ring; by substitution with two alkoxy groups; by  
13 substitution with one alkoxy and either one fused furan, tetrahydrofuran,  
14 or tetrahydropyran ring system; or by substitution with two fused ring  
15 systems from any combination of the furan, tetrahydrofuran, or  
16 tetrahydropyran ring systems, whether or not the compound is further  
17 modified in any of the following ways:

18           (A) Substitution of the phenyl ring by any halo, hydroxyl, alkyl,  
19 trifluoromethyl, alkoxy, or alkylthio groups; (B) substitution at the 2-  
20 position by any alkyl groups; or (C) substitution at the 2-amino nitrogen  
21 atom with alkyl, dialkyl, benzyl, hydroxybenzyl or methoxybenzyl groups,  
22 and including, but not limited to:

23           (i) 2-(4-Chloro-2,5-dimethoxyphenyl)ethanamine, which is also known  
24 as 2C-C or 2,5-Dimethoxy-4-chlorophenethylamine;

25           (ii) 2-(2,5-Dimethoxy-4-methylphenyl)ethanamine, which is also known  
26 as 2C-D or 2,5-Dimethoxy-4-methylphenethylamine;

27           (iii) 2-(2,5-Dimethoxy-4-ethylphenyl)ethanamine, which is also known  
28 as 2C-E or 2,5-Dimethoxy-4-ethylphenethylamine;

29           (iv) 2-(2,5-Dimethoxyphenyl)ethanamine, which is also known as 2C-H  
30 or 2,5-Dimethoxyphenethylamine;

31           (v) 2-(4-Iodo-2,5-dimethoxyphenyl)ethanamine, which is also known as



1               (xix) 2-(7-Bromo-5-methoxy-2,3-dihydro-1-benzofuran-4-yl)ethanamine,  
2       which is also known as 2CB-5-hemiFLY;

3               (xx)     2-(8-bromo-2,3,6,7-tetrahydrofuro [2,3-f][1]benzofuran-4-  
4       yl)ethanamine, which is also known as 2C-B-FLY;

5               (XXI)     2-(10-Bromo-2,3,4,7,8,9-hexahydropyrano[2,3-g]chromen-5-  
6       yl)ethanamine, which is also known as 2C-B-butterFLY;

7               (XXII)    N-(2-Methoxybenzyl)-1-(8-bromo-2,3,6,7- tetrahydrobenzo[1,2-  
8       b:4,5-b']difuran-4-yl)-2-aminoethane, which is also known as 2C-B-FLY-  
9       NBOMe;

10          (XXIII)    1-(4-Bromofuro[2,3-f][1]benzofuran-8-yl)propan-2-amine,  
11       which is also known as bromo-benzodifuranylisopropylamine or bromo-  
12       dragonFLY;

13          (XXIV)     N-(2-Hydroxybenzyl)-4-iodo-2,5-dimethoxyphenethylamine, which  
14       is also known as 2C-INBOH or 25I-NBOH;

15          (XXV)      5-(2-Aminopropyl)benzofuran, which is also known as 5-APB;

16          (XXVI)     6-(2-Aminopropyl)benzofuran, which is also known as 6-APB;

17          (XXVII)    5-(2-Aminopropyl)-2,3-dihydrobenzofuran, which is also known  
18       as 5-APDB;

19          (XXVIII)   6-(2-Aminopropyl)-2,3-dihydrobenzofuran, which is also  
20       known as 6-APDB;

21          (XXIX)     2,5-dimethoxy-amphetamine, which is also known as 2, 5-  
22       dimethoxy-a-methylphenethylamine; 2, 5-DMA;

23          (XXX)      2,5-dimethoxy-4-ethylamphetamine, which is also known as DOET;

24          (XXXI)     2,5-dimethoxy-4-(n)-propylthiophenethylamine, which is also  
25       known as 2C-T-7;

26          (XXXII)    5-methoxy-3,4-methylenedioxy-amphetamine;

27          (XXXIII)   4-methyl-2,5-dimethoxy-amphetamine, which is also known as  
28       4-methyl-2,5-dimethoxy-amethylphenethylamine; DOM and STP;

29          (XXXIV)    3,4-methylenedioxy amphetamine, which is also known as MDA;

30          (XXXV)     3,4-methylenedioxymethamphetamine, which is also known as  
31       MDMA;

1                (xxxvi) 3,4-methylenedioxy-N-ethylamphetamine, which is also known  
2        as N-ethyl-alpha-methyl-3,4(methylenedioxy)phenethylamine, MDE, MDEA; and  
3                (xxxvii) 3,4,5-trimethoxy amphetamine;

4                (27) Any material, compound, mixture, or preparation containing any  
5        quantity of a substituted tryptamine unless specifically excepted, listed  
6        in another schedule, or specifically named in this schedule, that is  
7        structurally derived from 2-(1H-indol-3-yl)ethanamine, which is also  
8        known as tryptamine, by mono- or di-substitution of the amine nitrogen  
9        with alkyl or alkenyl groups or by inclusion of the amino nitrogen atom  
10      in a cyclic structure whether or not the compound is further substituted  
11      at the alpha position with an alkyl group or whether or not further  
12      substituted on the indole ring to any extent with any alkyl, alkoxy,  
13      halo, hydroxyl, or acetoxy groups, and including, but not limited to:

14                (A) 5-methoxy-N,N-diallyltryptamine, which is also known as 5-MeO-  
15      DALT;

16                (B) 4-acetoxy-N,N-dimethyltryptamine, which is also known as 4-AcO-  
17      DMT or OAcetylpsilocin;

18                (C) 4-hydroxy-N-methyl-N-ethyltryptamine, which is also known as 4-  
19      HO-MET;

20                (D) 4-hydroxy-N,N-diisopropyltryptamine, which is also known as 4-  
21      HO-DIPT;

22                (E) 5-methoxy-N-methyl-N-isopropyltryptamine, which is also known as  
23      5-MeOMiPT;

24                (F) 5-Methoxy-N,N-Dimethyltryptamine, which is also known as 5-MeO-  
25      DMT;

26                (G) 5-methoxy-N,N-diisopropyltryptamine, which is also known as 5-  
27      MeO-DiPT;

28                (H) Diethyltryptamine, which is also known as N,N-Diethyltryptamine,  
29      DET; and

30                (I) Dimethyltryptamine, which is also known as DMT; and

31                (28)(A) Any substance containing any quantity of the following

1 materials, compounds, mixtures, or structures:

- 2 (i) 3,4-methylenedioxymethcathinone, or bk-MDMA, or methylone;  
3 (ii) 3,4-methylenedioxypyrovalerone, or MDPV;  
4 (iii) 4-methylmethcathinone, or 4-MMC, or mephedrone;  
5 (iv) 4-methoxymethcathinone, or bk-PMMA, or PMMC, or methedrone;  
6 (v) Fluoromethcathinone, or FMC;  
7 (vi) Naphthylpyrovalerone, or naphyrone; or  
8 (vii) Beta-keto-N-methylbenzodioxolylpropylamine or bk-MBDB or  
9 butylone; or

10 (B) Unless listed in another schedule, any substance which contains  
11 any quantity of any material, compound, mixture, or structure, other than  
12 bupropion, that is structurally derived by any means from 2-  
13 aminopropan-1-one by substitution at the 1-position with either phenyl,  
14 naphthyl, or thiophene ring systems, whether or not the compound is  
15 further modified in any of the following ways:

16 (i) Substitution in the ring system to any extent with alkyl,  
17 alkoxy, alkylatedioxy, haloalkyl, hydroxyl, or halide substituents,  
18 whether or not further substituted in the ring system by one or more  
19 other univalent substituents;

20 (ii) Substitution at the 3-position with an acyclic alkyl  
21 substituent; or

22 (iii) Substitution at the 2-amino nitrogen atom with alkyl or  
23 dialkyl groups, or by inclusion of the 2-amino nitrogen atom in a cyclic  
24 structure.

25 (d) Unless specifically excepted or unless listed in another  
26 schedule, any material, compound, mixture, or preparation which contains  
27 any quantity of the following substances having a depressant effect on  
28 the central nervous system, including its salts, isomers, and salts of  
29 isomers whenever the existence of such salts, isomers, and salts of  
30 isomers is possible within the specific chemical designation:

31 (1) Mecloqualone;

1               (2) Methaqualone; and

2               (3) Gamma-Hydroxybutyric Acid. Some other names include: GHB; Gamma-  
3     hydroxybutyrate; 4-Hydroxybutyrate; 4-Hydroxybutanoic Acid; Sodium  
4     Oxybate; and Sodium Oxybutyrate.

5               (e) Unless specifically excepted or unless listed in another  
6     schedule, any material, compound, mixture, or preparation which contains  
7     any quantity of the following substances having a stimulant effect on the  
8     central nervous system, including its salts, isomers, and salts of  
9     isomers:

10              (1) Fenethylline;

11              (2) N-ethylamphetamine;

12              (3) Aminorex; aminoxaphen; 2-amino-5-phenyl-2-oxazoline; or 4,5-  
13     dihydro-5-phenyl-2-oxazolamine;

14              (4)       Cathinone;       2-amino-1-phenyl-1-propanone;       alpha-  
15     aminopropiophenone; 2-aminopropiophenone; and norephedrone;

16              (5) Methcathinone, its salts, optical isomers, and salts of optical  
17     isomers. Some other names: 2-(methylamino)-propiophenone; alpha-  
18     (methylamino)propiophenone; 2-(methylamino)-1-phenylpropan-1-one; alpha-  
19     N-methylaminopropiophenone;       methylcathinone;       monomethylpropion;  
20     ephedrone; N-methylcathinone; AL-464; AL-422; AL-463; and UR1432;

21              (6) (+/-)cis-4-methylaminorex; and (+/-)cis-4,5-dihydro-4-methyl-5-  
22     phenyl-2-oxazolamine;

23              (7) N,N-dimethylamphetamine; N,N-alpha-trimethyl-benzeneethanamine;  
24     and N,N-alpha-trimethylphenethylamine; and

25              (8) Benzylpiperazine, 1-benzylpiperazine.

26              (f) Any controlled substance analogue to the extent intended for  
27     human consumption.

28              Schedule II

29              (a) Any of the following substances except those narcotic drugs  
30     listed in other schedules whether produced directly or indirectly by  
31     extraction from substances of vegetable origin, independently by means of

1 chemical synthesis, or by combination of extraction and chemical  
2 synthesis:

3 (1) Opium and opiate, and any salt, compound, derivative, or  
4 preparation of opium or opiate, excluding apomorphine, buprenorphine,  
5 thebaine-derived butorphanol, dextrophan, nalbuphine, nalmefene,  
6 naloxone, and naltrexone and their salts, but including the following:

- 7 (A) Raw opium;  
8 (B) Opium extracts;  
9 (C) Opium fluid;  
10 (D) Powdered opium;  
11 (E) Granulated opium;  
12 (F) Tincture of opium;  
13 (G) Codeine;  
14 (H) Ethylmorphine;  
15 (I) Etorphine hydrochloride;  
16 (J) Hydrocodone;  
17 (K) Hydromorphone;  
18 (L) Metopon;  
19 (M) Morphine;  
20 (N) Oxycodone;  
21 (O) Oxymorphone;  
22 (P) Oripavine;  
23 (Q) Thebaine; and  
24 (R) Dihydroetorphine;

25 (2) Any salt, compound, derivative, or preparation thereof which is  
26 chemically equivalent to or identical with any of the substances referred  
27 to in subdivision (1) of this subdivision, except that these substances  
28 shall not include the isoquinoline alkaloids of opium;

29 (3) Opium poppy and poppy straw;  
30 (4) Coca leaves and any salt, compound, derivative, or preparation  
31 of coca leaves, and any salt, compound, derivative, or preparation

1 thereof which is chemically equivalent to or identical with any of these  
2 substances, including cocaine and its salts, optical isomers, and salts  
3 of optical isomers, except that the substances shall not include  
4 decocainized coca leaves or extractions which do not contain cocaine or  
5 ecgonine; and

6 (5) Concentrate of poppy straw, the crude extract of poppy straw in  
7 either liquid, solid, or powder form which contains the phenanthrene  
8 alkaloids of the opium poppy.

9 (b) Unless specifically excepted or unless in another schedule any  
10 of the following opiates, including their isomers, esters, ethers, salts,  
11 and salts of their isomers, esters, and ethers whenever the existence of  
12 such isomers, esters, ethers, and salts is possible within the specific  
13 chemical designation, dextrorphan excepted:

14 (1) Alphaprodine;

15 (2) Anileridine;

16 (3) Bezitramide;

17 (4) Diphenoxylate;

18 (5) Fentanyl;

19 (6) Isomethadone;

20 (7) Levomethorphan;

21 (8) Levorphanol;

22 (9) Metazocine;

23 (10) Methadone;

24 (11) Methadone-intermediate, 4-cyano-2-dimethylamino-4,4-diphenyl  
25 butane;

26 (12) Moramide-intermediate, 2-methyl-3-morpholino-1,1-  
27 diphenylpropane-carboxylic acid;

28 (13) Pethidine or meperidine;

29 (14) Pethidine-Intermediate-A, 4-cyano-1-methyl-4-phenylpiperidine;

30 (15) Pethidine-Intermediate-B, ethyl-4-phenylpiperidine-4-  
31 carboxylate;

1               (16)      Pethidine-Intermediate-C,      1-methyl-4-phenylpiperidine-4-  
2      carboxylic acid;  
3               (17)     Phenazocine;  
4               (18)     Piminodine;  
5               (19)     Racemethorphan;  
6               (20)     Racemorphan;  
7               (21)     Dihydrocodeine;  
8               (22)     Bulk Propoxyphene in nondosage forms;  
9               (23)     Sufentanil;  
10          (24)     Alfentanil;  
11          (25)     Levo-alphacetylmethadol which is also known as levo-alpha-  
12     acetylmethadol, levomethadyl acetate, and LAAM;  
13          (26)     Carfentanil;  
14          (27)     Remifentanil; and  
15          (28)     Tapentadol.  
16          (c) Any material, compound, mixture, or preparation which contains  
17     any quantity of the following substances having a potential for abuse  
18     associated with a stimulant effect on the central nervous system:  
19          (1) Amphetamine, its salts, optical isomers, and salts of its  
20     optical isomers;  
21          (2) Phenmetrazine and its salts;  
22          (3) Methamphetamine, its salts, isomers, and salts of its isomers;  
23          (4) Methylphenidate; and  
24          (5) Lisdexamfetamine, its salts, isomers, and salts of its isomers.  
25          (d) Any material, compound, mixture, or preparation which contains  
26     any quantity of the following substances having a potential for abuse  
27     associated with a depressant effect on the central nervous system,  
28     including their salts, isomers, and salts of isomers whenever the  
29     existence of such salts, isomers, and salts of isomers is possible within  
30     the specific chemical designations:  
31          (1) Amobarbital;

1           (2) Secobarbital;  
2           (3) Pentobarbital;  
3           (4) Phencyclidine; and  
4           (5) Glutethimide.

5           (e) Hallucinogenic substances known as:

6           (1) Nabilone. Another name for nabilone: (+/-)-trans-3-(1,1-  
7       dimethylheptyl)- 6,6a,7,8,10,10a-Hexahydro-1-hydroxy-6,6-dimethyl-9H-  
8       dibenzo(b,d)pyran-9-one.

9           (f) Unless specifically excepted or unless listed in another  
10      schedule, any material, compound, mixture, or preparation which contains  
11      any quantity of the following substances:

12          (1) Immediate precursor to amphetamine and methamphetamine:  
13      Phenylacetone. Trade and other names shall include, but are not limited  
14      to: Phenyl-2-propanone; P2P; benzyl methyl ketone; and methyl benzyl  
15      ketone;

16          (2) Immediate precursors to phencyclidine, PCP:

17           (A) 1-phenylcyclohexylamine; or  
18           (B) 1-piperidinocyclohexanecarbonitrile, PCC; or

19          (3) Immediate precursor to fentanyl; 4-anilino-N-phenethyl-4-  
20      piperidine (ANNPP).

21          Schedule III

22          (a) Any material, compound, mixture, or preparation which contains  
23      any quantity of the following substances having a potential for abuse  
24      associated with a stimulant effect on the central nervous system,  
25      including their salts, isomers, whether optical, position, or geometric,  
26      and salts of such isomers whenever the existence of such salts, isomers,  
27      and salts of isomers is possible within the specific chemical  
28      designation:

29           (1) Benzphetamine;  
30           (2) Chlorphentermine;  
31           (3) Clortermine; and

1                 (4) Phendimetrazine.

2                 (b) Any material, compound, mixture, or preparation which contains  
3         any quantity of the following substances having a potential for abuse  
4         associated with a depressant effect on the central nervous system:

5                 (1) Any substance which contains any quantity of a derivative of  
6         barbituric acid or any salt of a derivative of barbituric acid, except  
7         those substances which are specifically listed in other schedules of this  
8         section;

9                 (2) Chlorhexadol;

10                (3) Embutramide;

11                (4) Lysergic acid;

12                (5) Lysergic acid amide;

13                (6) Methyprylon;

14                (7) Perampanel;

15                (8) Sulfondiethylmethane;

16                (9) Sulfonethylmethane;

17                (10) Sulfonmethane;

18                (11) Nalorphine;

19                (12) Any compound, mixture, or preparation containing amobarbital,  
20         secobarbital, pentobarbital, or any salt thereof and one or more other  
21         active medicinal ingredients which are not listed in any schedule;

22                (13) Any suppository dosage form containing amobarbital,  
23         secobarbital, pentobarbital, or any salt of any of these drugs and  
24         approved by the federal Food and Drug Administration for marketing only  
25         as a suppository;

26                (14) Any drug product containing gamma-hydroxybutyric acid,  
27         including its salts, isomers, and salts of isomers, for which an  
28         application is approved under section 505 of the Federal Food, Drug, and  
29         Cosmetic Act, 21 U.S.C. 355, as such section existed on January 1, 2014;

30                (15) Ketamine, its salts, isomers, and salts of isomers. Some other  
31         names for ketamine: (+/-)-2-(2-chlorophenyl)-2-(methylamino)-

1    cyclohexanone; and

2        (16) Tiletamine and zolazepam or any salt thereof. Trade or other  
3    names for a tiletamine-zolazepam combination product shall include, but  
4    are not limited to: telazol. Trade or other names for tiletamine shall  
5    include, but are not limited to: 2-(ethylamino)-2-(2-thienyl)-  
6    cyclohexanone. Trade or other names for zolazepam shall include, but are  
7    not limited to: 4-(2-fluorophenyl)-6,8-dihydro-1,3,8-trimethylpyrazolo-  
8    (3,4-e) (1,4)-diazepin-7(1H)-one, and flupyrazapon.

9            (c) Unless specifically excepted or unless listed in another  
10   schedule:

11            (1) Any material, compound, mixture, or preparation containing  
12   limited quantities of any of the following narcotic drugs, or any salts  
13   calculated as the free anhydrous base or alkaloid, in limited quantities  
14   as set forth below:

15            (A) Not more than one and eight-tenths grams of codeine per one  
16   hundred milliliters or not more than ninety milligrams per dosage unit,  
17   with an equal or greater quantity of an isoquinoline alkaloid of opium;

18            (B) Not more than one and eight-tenths grams of codeine per one  
19   hundred milliliters or not more than ninety milligrams per dosage unit,  
20   with one or more active, nonnarcotic ingredients in recognized  
21   therapeutic amounts;

22            (C) Not more than one and eight-tenths grams of dihydrocodeine per  
23   one hundred milliliters or not more than ninety milligrams per dosage  
24   unit, with one or more active, nonnarcotic ingredients in recognized  
25   therapeutic amounts;

26            (D) Not more than three hundred milligrams of ethylmorphine per one  
27   hundred milliliters or not more than fifteen milligrams per dosage unit,  
28   with one or more active, nonnarcotic ingredients in recognized  
29   therapeutic amounts;

30            (E) Not more than five hundred milligrams of opium per one hundred  
31   milliliters or per one hundred grams, or not more than twenty-five

1 milligrams per dosage unit, with one or more active, nonnarcotic  
2 ingredients in recognized therapeutic amounts; and

3 (F) Not more than fifty milligrams of morphine per one hundred  
4 milliliters or per one hundred grams with one or more active, nonnarcotic  
5 ingredients in recognized therapeutic amounts; and

6 (2) Any material, compound, mixture, or preparation containing any  
7 of the following narcotic drug or its salts, as set forth below:

8 (A) Buprenorphine.

9 (d) Unless contained on the ~~administration's~~ list of exempt anabolic  
10 steroids of the Drug Enforcement Administration of the United States  
11 Department of Justice as the list existed on January 1, 2014, any  
12 anabolic steroid, which shall include any material, compound, mixture, or  
13 preparation containing any quantity of the following substances,  
14 including its salts, isomers, and salts of isomers whenever the existence  
15 of such salts of isomers is possible within the specific chemical  
16 designation:

17 (1) 3-beta,17-dihydroxy-5a-androstan;

18 (2) 3-alpha,17-beta-dihydroxy-5a-androstan;

19 (3) 5-alpha-androstan-3,17-dione;

20 (4) 1-androstenediol (3-beta,17-beta-dihydroxy-5-alpha-androst-1-  
21 ene);

22 (5) 1-androstenediol (3-alpha,17-beta-dihydroxy-5-alpha-androst-1-  
23 ene);

24 (6) 4-androstenediol (3-beta,17-beta-dihydroxy-androst-5-ene);

25 (7) 5-androstenediol (3-beta,17-beta-dihydroxy-androst-5-ene);

26 (8) 1-androstenedione ([5-alpha]-androst-1-en-3,17-dione);

27 (9) 4-androstenedione (androst-4-en-3,17-dione);

28 (10) 5-androstenedione (androst-5-en-3,17-dione);

29 (11) Bolasterone (7-alpha,17-alpha-dimethyl-17-beta-  
30 hydroxyandrost-4-en-3-one);

31 (12) Boldenone (17-beta-hydroxyandrost-1,4-diene-3-one);

1               (13) Boldione (androsta-1,4-diene-3,17-3-one);  
2               (14) Calusterone (7-beta,17-alpha-dimethyl-17-beta-hydroxyandrost-4-  
3 en-3-one);  
4               (15) Clostebol (4-chloro-17-beta-hydroxyandrost-4-en-3-one);  
5               (16) Dehydrochloromethyltestosterone (4-chloro-17-beta-hydroxy-17-  
6 alpha-methyl-androst-1,4-dien-3-one);  
7               (17) Desoxymethyltestosterone (17-alpha-methyl-5-alpha-androst-2-  
8 en-17-beta-ol) (a.k.a. 'madol');  
9               (18) Delta-1-Dihydrotestosterone (a.k.a. '1-testosterone')(17-beta-  
10 hydroxy-5-alpha-androst-1-en-3-one);  
11              (19) 4-Dihydrotestosterone (17-beta-hydroxy-androstan-3-one);  
12              (20) Drostanolone (17-beta-hydroxy-2-alpha-methyl-5-alpha-  
13 androstan-3-one);  
14              (21) Ethylestrenol (17-alpha-ethyl-17-beta-hydroxyestr-4-ene);  
15              (22) Fluoxymesterone (9-fluoro-17-alpha-methyl-11-beta,17-beta-  
16 dihydroxyandrost-4-en-3-one);  
17              (23) Formebulone (formebolone); (2-formyl-17-alpha-methyl-11-alpha,  
18 17-beta-dihydroxyandrost-1,4-dien-3-one);  
19              (24) Furazabol (17-alpha-methyl-17-beta-hydroxyandrostano[2,3-c]-  
20 furazan);  
21              (25) 13-beta-ethyl-17-beta-hydroxygon-4-en-3-one;  
22              (26) 4-hydroxytestosterone (4,17-beta-dihydroxy-androst-4-en-3-one);  
23              (27) 4-hydroxy-19-nortestosterone (4,17-beta-dihydroxy-estr-4-en-3-  
24 one);  
25              (28) Mestanolone (17-alpha-methyl-17-beta-hydroxy-5-androstan-3-  
26 one);  
27              (29) Mesterolone (17-alpha-methyl-17-beta-hydroxy-5-androstan-3-  
28 one);  
29              (30) Methandienone (17-alpha-methyl-17-beta-hydroxyandrost-1,4-  
30 dien-3-one);  
31              (31) Methandriol (17-alpha-methyl-3-beta,17-beta-dihydroxyandrost-5-

1 ene);  
2 (32) Methasterone (2-alpha,17-alpha-dimethyl-5-alpha-androstan-17-  
3 beta-ol-3-one);  
4 (33) Methenolone (1-methyl-17-beta-hydroxy-5-alpha-androst-1-en-3-  
5 one);  
6 (34) 17-alpha-methyl-3-beta,17-beta-dihydroxy-5a-androstane;  
7 (35) 17-alpha-methyl-3-alpha,17-beta-dihydroxy-5a-androstane;  
8 (36) 17-alpha-methyl-3-beta,17-beta-dihydroxyandrost-4-ene;  
9 (37) 17-alpha-methyl-4-hydroxynandrolone (17-alpha-methyl-4-  
10 hydroxy-17-beta-hydroxyestr-4-en-3-one);  
11 (38) Methyl dienolone (17-alpha-methyl-17-beta-hydroxyestra-4,9(10)-  
12 dien-3-one);  
13 (39) Methyl trienolone (17-alpha-methyl-17-beta-hydroxyestra-4,9,11-  
14 trien-3-one);  
15 (40) Methyl testosterone (17-alpha-methyl-17-beta-hydroxyandrost-4-  
16 en-3-one);  
17 (41) Mibolerone (7-alpha,17-alpha-dimethyl-17-beta-hydroxyestr-4-  
18 en-3-one);  
19 (42) 17-alpha-methyl-delta-1-dihydrotestosterone (17-beta-  
20 hydroxy-17-alpha-methyl-5-alpha-androst-1-en-3-one) (a.k.a. '17-alpha-  
21 methyl-1-testosterone');  
22 (43) Nandrolone (17-beta-hydroxyestr-4-en-3-one);  
23 (44) 19-nor-4-androstenediol (3-beta, 17-beta-dihydroxyestr-4-ene);  
24 (45) 19-nor-4-androstenediol (3-alpha, 17-beta-dihydroxyestr-4-ene);  
25 (46) 19-nor-5-androstenediol (3-beta, 17-beta-dihydroxyestr-5-ene);  
26 (47) 19-nor-5-androstenediol (3-alpha, 17-beta-dihydroxyestr-5-ene);  
27 (48) 19-nor-4,9(10)-androstadienedione (estra-4,9(10)-diene-3,17-  
28 dione);  
29 (49) 19-nor-4-androstenedione (estr-4-en-3,17-dione);  
30 (50) 19-nor-5-androstenedione (estr-5-en-3,17-dione);  
31 (51) Norbolethone (13-beta, 17-alpha-diethyl-17-beta-hydroxygon-4-

1 en-3-one);  
2 (52) Norclostebol (4-chloro-17-beta-hydroxyestr-4-en-3-one);  
3 (53) Norethandrolone (17-alpha-ethyl-17-beta-hydroxyestr-4-en-3-  
4 one);  
5 (54) Normethandrolone (17-alpha-methyl-17-beta-hydroxyestr-4-en-3-  
6 one);  
7 (55) Oxandrolone (17-alpha-methyl-17-beta-hydroxy-2-oxa-[5-alpha]-  
8 androstan-3-one);  
9 (56) Oxymesterone (17-alpha-methyl-4,17-beta-dihydroxyandrost-4-  
10 en-3-one);  
11 (57) Oxymetholone (17-alpha-methyl-2-hydroxymethylene-17-beta-  
12 hydroxy-[5-alpha]-androstan-3-one);  
13 (58) Prostanazol (17-beta-hydroxy-5-alpha-androstano[3,2-  
14 c]pyrazole);  
15 (59) Stanozolol (17-alpha-methyl-17-beta-hydroxy-[5-alpha]-  
16 androst-2-eno[3,2-c]-pyrazole);  
17 (60) Stenbolone (17-beta-hydroxy-2-methyl-[5-alpha]-androst-1-en-3-  
18 one);  
19 (61) Testolactone (13-hydroxy-3-oxo-13,17-secoandrosta-1,4-dien-17-  
20 oic acid lactone);  
21 (62) Testosterone (17-beta-hydroxyandrost-4-en-3-one);  
22 (63) Tetrahydrogestrinone (13-beta, 17-alpha-diethyl-17-beta-  
23 hydroxygon-4,9,11-trien-3-one);  
24 (64) Trenbolone (17-beta-hydroxyestr-4,9,11-trien-3-one); and  
25 (65) Any salt, ester, or ether of a drug or substance described or  
26 listed in this subdivision if the salt, ester, or ether promotes muscle  
27 growth.  
28 (e) Hallucinogenic substances known as:  
29 (1) Dronabinol, synthetic, in sesame oil and encapsulated in a soft  
30 gelatin capsule in a drug product approved by the federal Food and Drug  
31 Administration. Some other names for dronabinol are (6aR-trans)-6a,

1      7,8,10a-tetrahydro-6,6,9-trimethyl-3-pentyl-6H-dibenzo (b,d)pyran-1-ol or  
2      (-)-delta-9-(trans)-tetrahydrocannabinol.

3            Schedule IV

4            (a) Any material, compound, mixture, or preparation which contains  
5      any quantity of the following substances, including their salts, isomers,  
6      and salts of isomers whenever the existence of such salts, isomers, and  
7      salts of isomers is possible within the specific chemical designation:

8            (1) Barbital;

9            (2) Chloral betaine;

10          (3) Chloral hydrate;

11          (4) Chlordiazepoxide, but not including librax (chlordiazepoxide  
12      hydrochloride and clindinium bromide) or menrium (chlordiazepoxide and  
13      water soluble esterified estrogens);

14          (5) Clonazepam;

15          (6) Clorazepate;

16          (7) Diazepam;

17          (8) Ethchlorvynol;

18          (9) Ethinamate;

19          (10) Flurazepam;

20          (11) Mebutamate;

21          (12) Meprobamate;

22          (13) Methohexital;

23          (14) Methylphenobarbital;

24          (15) Oxazepam;

25          (16) Paraldehyde;

26          (17) Petrichloral;

27          (18) Phenobarbital;

28          (19) Prazepam;

29          (20) Alprazolam;

30          (21) Bromazepam;

31          (22) Camazepam;

1                   (23) Clobazam;  
2                   (24) Clotiazepam;  
3                   (25) Cloxazolam;  
4                   (26) Delorazepam;  
5                   (27) Estazolam;  
6                   (28) Ethyl loflazepate;  
7                   (29) Fludiazepam;  
8                   (30) Flunitrazepam;  
9                   (31) Halazepam;  
10                  (32) Haloxazolam;  
11                  (33) Ketazolam;  
12                  (34) Loprazolam;  
13                  (35) Lorazepam;  
14                  (36) Lormetazepam;  
15                  (37) Medazepam;  
16                  (38) Nimetazepam;  
17                  (39) Nitrazepam;  
18                  (40) Nordiazepam;  
19                  (41) Oxazolam;  
20                  (42) Pinazepam;  
21                  (43) Temazepam;  
22                  (44) Tetrazepam;  
23                  (45) Triazolam;  
24                  (46) Midazolam;  
25                  (47) Quazepam;  
26                  (48) Zolpidem;  
27                  (49) Dichloralphenazone;  
28                  (50) Zaleplon;  
29                  (51) Zopiclone;  
30                  (52) Fospropofol;  
31                  (53) Alfaxalone;

1                 (54) Suvorexant; and  
2                 (55) Carisoprodol.

3                 (b) Any material, compound, mixture, or preparation which contains  
4         any quantity of the following substance, including its salts, isomers,  
5         whether optical, position, or geometric, and salts of such isomers,  
6         whenever the existence of such salts, isomers, and salts of isomers is  
7         possible: Fenfluramine.

8                 (c) Unless specifically excepted or unless listed in another  
9         schedule, any material, compound, mixture, or preparation which contains  
10       any quantity of the following substances having a stimulant effect on the  
11       central nervous system, including their salts, isomers, whether optical,  
12       position, or geometric, and salts of such isomers whenever the existence  
13       of such salts, isomers, and salts of isomers is possible within the  
14       specific chemical designation:

15                 (1) Diethylpropion;  
16                 (2) Phentermine;  
17                 (3) Pemoline, including organometallic complexes and chelates  
18         thereof;  
19                 (4) Mazindol;  
20                 (5) Pipradrol;  
21                 (6) SPA, ((-)-1-dimethylamino- 1,2-diphenylethane);  
22                 (7) Cathine. Another name for cathine is ((+)-norpseudoephedrine);  
23                 (8) Fencamfamin;  
24                 (9) Fenproporex;  
25                 (10) Mefenorex;  
26                 (11) Modafinil; and  
27                 (12) Sibutramine.

28                 (d) Unless specifically excepted or unless listed in another  
29         schedule, any material, compound, mixture, or preparation which contains  
30         any quantity of the following narcotic drugs, or their salts or isomers  
31         calculated as the free anhydrous base or alkaloid, in limited quantities

1 as set forth below:

2 (1) Propoxyphene in manufactured dosage forms;

3 (2) Not more than one milligram of difenoxin and not less than  
4 twenty-five micrograms of atropine sulfate per dosage unit; and

5 (3) 2-[(dimethylamino)methyl]-1-(3-methoxyphenyl)cyclohexanol, its  
6 salts, optical and geometric isomers, and salts of these isomers to  
7 include: Tramadol.

8 (e) Unless specifically excepted or unless listed in another  
9 schedule, any material, compound, mixture, or preparation which contains  
10 any quantity of the following substance, including its salts:

11 (1) Pentazocine; and

12 (2) Butorphanol (including its optical isomers).

13 (f) Any material, compound, mixture, or preparation which contains  
14 any quantity of the following substances, including its salts, isomers,  
15 and salts of such isomers, whenever the existence of such salts, isomers,  
16 and salts of isomers is possible: Lorcaserin.

17 (g)(1) Unless specifically excepted or unless listed in another  
18 schedule, any material, compound, mixture, or preparation which contains  
19 any quantity of the following substance, including its salts, optical  
20 isomers, and salts of such optical isomers: Ephedrine.

21 (2) The following drug products containing ephedrine, its salts,  
22 optical isomers, and salts of such optical isomers, are excepted from  
23 subdivision (g)(1) of Schedule IV if they (A) are stored behind a  
24 counter, in an area not accessible to customers, or in a locked case so  
25 that a customer needs assistance from an employee to access the drug  
26 product; (B) are sold by a person, eighteen years of age or older, in the  
27 course of his or her employment to a customer eighteen years of age or  
28 older with the following restrictions: No customer shall be allowed to  
29 purchase, receive, or otherwise acquire more than three and six-tenths  
30 grams of ephedrine base during a twenty-four-hour period; no customer  
31 shall purchase, receive, or otherwise acquire more than nine grams of

1 ephedrine base during a thirty-day period; and the customer shall display  
2 a valid driver's or operator's license, a Nebraska state identification  
3 card, a military identification card, an alien registration card, or a  
4 passport as proof of identification; (C) are labeled and marketed in a  
5 manner consistent with the pertinent OTC Tentative Final or Final  
6 Monograph; (D) are manufactured and distributed for legitimate medicinal  
7 use in a manner that reduces or eliminates the likelihood of abuse; and  
8 (E) are not marketed, advertised, or represented in any manner for the  
9 indication of stimulation, mental alertness, euphoria, ecstasy, a buzz or  
10 high, heightened sexual performance, or increased muscle mass:

- 11                 (i) Pramatene Tablets; and  
12                 (ii) Bronkaid Dual Action Caplets.

13                 Schedule V

14                 (a) Any compound, mixture, or preparation containing any of the  
15 following limited quantities of narcotic drugs or salts calculated as the  
16 free anhydrous base or alkaloid, which shall include one or more  
17 nonnarcotic active medicinal ingredients in sufficient proportion to  
18 confer upon the compound, mixture, or preparation valuable medicinal  
19 qualities other than those possessed by the narcotic drug alone:

20                 (1) Not more than two hundred milligrams of codeine per one hundred  
21 milliliters or per one hundred grams;

22                 (2) Not more than one hundred milligrams of dihydrocodeine per one  
23 hundred milliliters or per one hundred grams;

24                 (3) Not more than one hundred milligrams of ethylmorphine per one  
25 hundred milliliters or per one hundred grams;

26                 (4) Not more than two and five-tenths milligrams of diphenoxylate  
27 and not less than twenty-five micrograms of atropine sulfate per dosage  
28 unit;

29                 (5) Not more than one hundred milligrams of opium per one hundred  
30 milliliters or per one hundred grams; and

31                 (6) Not more than five-tenths milligram of difenoxin and not less

1 than twenty-five micrograms of atropine sulfate per dosage unit.

2 (b) Unless specifically exempted or excluded or unless listed in  
3 another schedule, any material, compound, mixture, or preparation which  
4 contains any quantity of the following substances having a stimulant  
5 effect on the central nervous system, including its salts, isomers, and  
6 salts of isomers: Pyrovalerone.

7 (c) Unless specifically exempted or excluded or unless listed in  
8 another schedule, any material, compound, mixture, or preparation which  
9 contains any quantity of the following substances having a depressant  
10 effect on the central nervous system, including its salts, isomers, and  
11 salts of isomers:

12 (1) Ezogabine (N-(2-amino-4-(4-fluorobenzylamino)-phenyl)-carbamic  
13 acid ethyl ester);

14 (2) Lacosamide ((R)-2-acetoamido-N-benzyl-3-methoxy-propionamide);  
15 and

16 (3) Pregabalin ((S)-3-(aminomethyl)-5-methylhexanoic acid).

17 Sec. 2. Original section 28-405, Reissue Revised Statutes of  
18 Nebraska, is repealed.