

TRANSCRIPT PREPARED BY THE CLERK OF THE LEGISLATURE
Transcriber's Office

May 17, 1999

LB 382

parking lot, does it, I meant a surface, open-air parking lot, or does it?

SENATOR WICKERSHAM: Well, I would assume that it would also apply to a multistory parking facility, but you might have to be careful about a specific statute. There are a number of them, I think, that deal with that issue, so I....

SENATOR CHAMBERS: If the language used in this bill is, quote, a directly connected parking facility...

SENATOR WICKERSHAM: ...I...it is my belief that that would encompass a multistory facility.

SENATOR CHAMBERS: Do you have any idea of how large this convention center itself is supposed to be in terms of seating capacity, or anything that would give us an idea of its size?

SENATOR WICKERSHAM: I'm sorry, Senator, I can't remember that detail, but...

SENATOR CHAMBERS: Well, let...

SENATOR WICKERSHAM: ...20,000 seems to strike my mind for some reason. I'm not sure that's...I don't know why that number...no, I...

SENATOR CHAMBERS: Pops out?

SENATOR WICKERSHAM: Yeah.

SENATOR CHAMBERS: Is there any formula that is used to determine the size of a parking facility based on the seating capacity of the structure to which it is to be attached?

SENATOR WICKERSHAM: I'm sure that engineers would have that. I don't know what that formula would advise in terms of parking that would be necessary to accommodate patrons, but...

SENATOR CHAMBERS: Are these facilities expensive to be built?

SENATOR WICKERSHAM: Convention centers?